

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

Control Mucin Sample

Figure 1



Interaction of Naproxen Formulations with Mucin

Figure 2A





Figure 2B



Naproxen + PVP (k29/32)

Naproxen + PMMTMABr

Control Hair Sample

Figure 3A





Figure 3B



Interaction of Naproxen Formulations with Hair

Figure 4A




Figure 4B



Naproxen + PMMTMABr

Interaction of Naproxen Formulations with Hair

Figure 5A





Figure 5B



Naproxen + PVP (k29/32)

Control Plant Sample

Figure 6A




Figure 6B



**Interaction of Naproxen Formulations with Plant Tissue**

Figure 7A




Figure 7B




Naproxen + PMMTMABr

Interaction of Naproxen Formulations with Plant Tissue

Figure 8A



Figure 8B



Naproxen + PVP (k29/32)

Interaction of Cyclosporin Formulations with Mucin

Figure 9A





Figure 9B



Cyclosporin + F88 + SLS      Cyclosporin + F88 + HDMAB

Interaction of Cyclosporin Formulations with Hair

Figure 10A




Figure 10B



Cyclosporin + F88 + HDMAB

Interaction of Cyclosporin Formulations with Hair

Figure 11A





Figure 11B




Cyclosporin + F88 + SLS

Interaction of Cyclosporin Formulations with Plant Tissue

Figure 12A



Figure 12B



Cyclosporin + F88 + SLS      Cyclosporin + F88 + HDMAB

TA + HPC-SI + SLS

### Interaction of TA Formulations with Mucin

Figure 13A





Figure 13B



TA + HPC-SI + SLS

TA + HPC-SI + BKC

Interaction of TA Formulations with Hair

Figure 14A





Figure 14B



TA + HPC-SI + SLS

Interaction of TA Formulations with Hair

Figure 15A




Figure 15B

TA + HPC-SI + BKC

Control Human Allograft Sample

Figure 16A




Interaction of WIN68209 Formulations with Allograft Skin

Figure 17A



Figure 17B



WIN68209 + F108

Interaction of WIN68209 Formulations with Allograft Skin

Figure 18A



Figure 18B



WIN68209 + PVPDMAEM

Naproxen + PMMTMABr      Naproxen + PVP (k29/32)

Interaction of Unmilled Naproxen (22 $\mu$ m) with Mucin Surface

Figure 19A





Figure 19B



Interaction of Unmilled Naproxen (22 $\mu$ m) with Human Hair

Figure 20A





Figure 20B



Naproxen + PMMTMABr

Interaction of Unmilled Naproxen (22 $\mu$ m) with Human Hair

Figure 21A





Figure 21B



Naproxen + PVP (k29/32)

Interaction of Unmilled Naproxen (22 $\mu$ m) with Plant Tissue

Figure 22A



Figure 22B



Naproxen + PMMTMABr  
Naproxen + PVP (k29/32)

Interaction of Micronized Naproxen ( $6\mu\text{m}$ ) with Mucin Surface

Figure 23A





Figure 23B



Naproxen + PMMTMABr      Naproxen + PVP (k29/32)

Interaction of Micronized Naproxen (6 $\mu$ m) with Human Hair

Figure 24A





Figure 24B



Naproxen + PMMTMABr

Interaction of Micronized Naproxen (6 $\mu$ m) with Human Hair

Figure 25A





Figure 25B



Naproxen + PVP (k29/32)

Interaction of Micronized Naproxen (6 $\mu$ m) with Plant Tissue

Figure 26A




Figure 26B



Naproxen + PMMTMABr      Naproxen + PVP (k29/32)